

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	244	(osamu.in. or atsumi.in. or fumio.in. or mita.in.) and (random adj number\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 19:42
L2	11	1 and smooth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 19:42
L3	28	1 and smooth\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 19:42
L4	14	3 and noise\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 19:42
L5	7	4 and pulse\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 19:44
L6	4402	@ad<"20010424" and random and noise\$1 and pulse\$1 and smooth\$3 and (rever\$3 or invert\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 19:45
L7	524	6 and (random\$5.ti. or random\$5. clm. or random\$5.ab.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 19:45
L8	102	7 and (random\$5 adj noise\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 19:45

EAST Search History

L9	89	8 and sampl\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 19:50
L10	1	9 and 708/250-256.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 19:46
L11	4	8 and (sampl\$5 adj pulse\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 19:52
L12	662	708/250-256.ccls. and @ad<"20010424"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 19:52
L13	70	12 and noise\$1 and pulse\$1 and (revers\$5 or invert\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 19:53
L14	39	13 and sampl\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 19:53
L15	21	14 and oscillat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 19:54
L16	3	smooth\$3 and 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 19:54

EAST Search History

L17	37	("2268001" "2303968" "2741661" "2823252" "2885470" "3383463" "3423520" "3466387" "3478166" "3538243" "3749831" "3824332" "4163253" "4631603" "5133008").PN. OR ("5402488").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/19 19:58
L18	6	("4396894" "4644299" "4961203").PN. OR ("5436973").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/19 19:58
L19	1	("2001/0023423").URPN.	USPAT	OR	ON	2006/12/19 20:06
L20	7	nagai.in. and koichiro.in.	USPAT	OR	ON	2006/12/19 20:07
L21	445	yoshida.in. and kenji.in.	USPAT	OR	ON	2006/12/19 20:07
L22	0	(yoshida.in. and kenji.in.) and (tamura.in. and yoshiyasu.in.)	USPAT	OR	ON	2006/12/19 20:07

Inventor Information for 10/692483

Inventor Name	City	State/Country
ATSUMI, OSAMU	SAGAMIHARA-SHI	JAPAN
MITA, FUMIO	SAGAMIHARA-SHI	JAPAN

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity/Reexam](#)[Foreign Data](#)[Invento](#)

Search Another: Application#

or Patent#

PCT /

or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Inventor Name Search Result

Your Search was:

Last Name = MITA

First Name = FUMIO

Application#	Patent#	Status	Date Filed	Title	Inventor Name
07071238	4740383	150	07/09/1987	METHOD OF CHECKING THE DEGREE OF PLASMA TREATMENT	MITA, FUMIO
10033564	Not Issued	161	12/27/2001	Compression method of digital signature	MITA, FUMIO
10692483	Not Issued	30	10/23/2003	Random number generation apparatus	MITA, FUMIO
08088344	5357065	150	07/09/1993	CIRCUIT UNIT FOR ELECTRONIC INSTRUMENT HAVING KEY-PAD ARRANGEMENT	MITAMURA, FUMIO
11529386	Not Issued	25	09/29/2006	Communication method	MITAMURA, FUMIO

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Last Name	First Name	
MITA	FUMIO	<input type="button" value="Search"/>

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

□ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "((((random noise) <and> pulse)<in>metadata))<and>(smooth<in>metadata))"

Your search matched 2 of 144 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

 e-mail  printer friendly


» Search Options

[View Session History](#)

[New Search](#)

Modify Search

((((random noise) <and> pulse)<in>metadata))<and>(smooth<in>metadata))

Search 

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

 [view selected items](#) [Select All](#) [Deselect All](#)

- ☐ 1. **A model of arterial pulse propagation and reflection**
Kobler, H.; Hart, M.; Hunyor, S.N.;
[Computers in Cardiology 1995](#)
10-13 Sept. 1995 Page(s):601 - 604
Digital Object Identifier 10.1109/CIC.1995.482736
[AbstractPlus](#) | Full Text: [PDF](#)(300 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Design issues of ultra-wideband systems for high-rate wireless PANs: modulation schemes and coexistence with WLANs**
Jeong-Heon Lee; Tae-Jin Lee;
[Wireless Communication Technology, 2003. IEEE Topical Conference on](#)
15-17 Oct. 2003 Page(s):459 - 460
Digital Object Identifier 10.1109/WCT.2003.1321603
[AbstractPlus](#) | Full Text: [PDF](#)(233 KB) IEEE CNF
[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE – All Rights Reserved

☐ Search Session History

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

[SUPPORT](#)

Edit an existing query or
compose a new query in the
Search Query Display.

Tue, 19 Dec 2006, 7:40:51 PM EST

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display.
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

#1 (((random noise) <and> pulse)<in>metadata)

Results

144

#2 ((((((random noise) <and> pulse)<in>metadata))<AND>
(smooth<in>metadata))

2

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE – All Rights Reserved

Indexed by
 Inspec

Select a name to view articles written by that author



OPTION 1

Quick Find an Author:

Enter a name to locate articles written by that author.

[»](#)

Example: Enter Lockett S to obtain a list of authors with the last name Lockett and the first initial S.



OPTION 2

Browse alphabetically

Select a letter from the list.

[A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#)

[Mita H.](#)

[Mita M.](#)

[Mita P.](#)

[Mita S. G.](#)

[Mitachi S.](#)

[Mitake K.](#)

[Mitakos T.](#)

[Mital D. P.](#)

[Mital L.](#)

[Mital V.](#)

[Mitamura K.](#)

[Mitamura T.](#)

[Mitani A.](#)

[Mitani J.](#)

[Mitani N.](#)

[Mitani Y.](#)

[Mitarai K.](#)

[Mita J.](#)

[Mita N.](#)

[Mita R.](#)

[Mita T.](#)

[Mita M. S.](#)

[Mitake S.](#)

[Mital A.](#)

[Mital I.](#)

[Mital O. P.](#)

[Mitama I.](#)

[Mitamura N.](#)

[Mitamura Y.](#)

[Mitani E.](#)

[Mitani K.](#)

[Mitani S.](#)

[Mitano H.](#)

[Mitarai O.](#)

[Mita K.](#)

[Mita Nasipuri](#)

[Mita S.](#)

[Mita Y.](#)

[Mitake D.](#)

[Mitake T.](#)

[Mital D.](#)

[Mital J. K.](#)

[Mital R.](#)

[Mitama M.](#)

[Mitamura S.](#)

[Mitani M.](#)

[Mitani H.](#)

[Mitani M.](#)

[Mitani T.](#)

[Mitarai H.](#)

☐ Author Search

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

[SUPPORT](#)



OPTION 1

Quick Find an Author:

Enter a name to locate articles written by that author:

Example: Enter Lockett S to obtain a list of authors with the last name Lockett and the first initial S.

Select a name to view articles written by that author

[Atsumi A.](#)

[Atsumi E.](#)

[Atsumi K.](#)

[Atsumi M.](#)

[Atsumi S.](#)

[Atsumi T.](#)

[Atsumi Y.](#)



OPTION 2

Browse alphabetically


Select a letter from the list.

[A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#)

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE – All Rights Reserved

Indexed by



Google

Web Images Video News Maps [more »](#)

random noise generation smooth

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 828,000 for random noise generation smooth. (0.22 seconds)Inet2inet Forums > Rng: Random Noise Generator Resources:Due to the increasing popularity of the RNG (**Random Noise Generator**) Inet ... **Smooth**

Skies: IPB Image I left all the settings the same as when the RNG is ...

www.inet2inet.com/inetforums/lofiversion/index.php?t615.html - 8k - [Cached](#) - [Similar pages](#)Rng: Random Noise Generator Resources: - Inet2inet ForumsRng: **Random Noise Generator** Resources:, Display and Download your RNG Creations:... Due to the increasing popularity of the RNG (**Random Noise Generator**) ...

www.inet2inet.com/inetforums/index.php?

showtopic=615&mode=threaded&pid=3011 - 61k - [Cached](#) - [Similar pages](#)[[More results from www.inet2inet.com](#)]Digital Camera Image Noise: Concept and TypesFixed pattern **noise** is much less of a problem than **random noise** in the latest **generation** of digital cameras, however even the slightest amount can be more ...www.cambridgeincolour.com/tutorials/noise.htm - 12k - [Cached](#) - [Similar pages](#)Random Noise SourcesThis is **random noise**, and any one FFT computation can look peculiar; only the average of many such computations gives the (relatively) **smooth** curve we might ...www.ciphersbyritter.com/NOISE/NOISRC.HTM - 24k - [Cached](#) - [Similar pages](#)[PDF] Improved lightwave synthetic noise generator using noise injection ...

File Format: PDF/Adobe Acrobat

several kilometers delay length to **smooth** the synthetic **noise**. spectrum. ... incoherence threshold the rms-value of the **random noise**. current is: (zrms)' ...ieeexplore.ieee.org/iel3/68/6978/00281832.pdf?arnumber=281832 - [Similar pages](#)[PDF] Design and implantation of an ASIC architecture for 1.6 kbps ...

File Format: PDF/Adobe Acrobat

Output of **random noise generator**. C. Interpolator. As mentioned earlier, the interpolator is employed to. **smooth** the transition across frames. ...ieeexplore.ieee.org/iel5/30/27648/01233811.pdf?arnumber=1233811 - [Similar pages](#)Marcel Peelen (Review/Interview)Music From The Future's "**Random Noise Generation**" by Marcel Peelen ... that it's difficult to keep, but the ride is a **smooth** one and well worth the effort. ...www.aural-innovations.com/issues/issue6/marcel.html - 12k - [Cached](#) - [Similar pages](#)welcome visitor music log in register collabs guestIlla **Noise** Productions Presents ... Mad Man **Smooth** · MADISON PAIGE · Madoo ·MADRON · MagellanMusic · Maggie Beers & Julie Mark ... **Random** Access Orchestra ...www.96decibels.com/music.asp?fs=No - 494k - [Cached](#) - [Similar pages](#)[PDF] Influence random noise on the accuracy of the indicator-dilution ...

File Format: PDF/Adobe Acrobat

2.2. Patient curves. In order to determine not only the influence of **random noise** but also the truncation. error in **smooth** curves, ...www.iop.org/EJ/article/0143-0815/6/1/006/pmv6i1p59.pdf - [Similar pages](#)IM v6 Examples -- Canvas CreationWhile gradients provide a **smooth** range of colors, another image creation ... See Tiling**Random Noise** Canvas where method for creating and processing such ...www.cit.gu.edu.au/~anthony/graphics/imagick6/canvas/ - 138k - [Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

random noise generation smooth

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google